

University of Groningen

Characterization of the Tm-2² locus of tomato and its durability

Rasul, Ijaz

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2012

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Rasul, I. (2012). *Characterization of the Tm-2² locus of tomato and its durability*. s.n.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

References

- Abramovitch, R. B., Kim, Y.-J., Chen, S., Dickman, M. B. & Martin, G. B. (2003).** Pseudomonas type III effector *AvrPtoB* induces plant disease susceptibility by inhibition of host programmed cell death. *EMBO Journal* **22**, 60-69.
- An, G., Lee, S., Kim, S.-H. & Kim, S.-R. (2005).** Molecular genetics using T-DNA in rice. *Plant & Cell Physiology* **46**, 14-22.
- Arabidopsis, G. I. (2000).** Analysis of the genome sequence of the flowering plant *Arabidopsis thaliana*. *Nature* **408**, 796-815.
- Arce-Johnson, P., Medina, C., Padgett, H. S., Huanca, W. & Espinoza, C. (2003).** Analysis of local and systemic spread of the crucifer-infecting TMV-Cg virus in tobacco and several *Arabidopsis thaliana* ecotypes. *Functional Plant Biology* **30**, 401.
- Balaji, B., Cawly, J., Angel, C., Zhang, Z., Palanichelvam, K., Cole, A. & Schoelz, J. (2007).** Silencing of the *N* family of resistance genes in *Nicotiana edwardsonii* compromises the hypersensitive response to tobamoviruses. *Molecular Plant-Microbe Interactions* **20**, 1262-1270.
- Banerjee, D., Zhang, X. & Bent, A. F. (2001).** The leucine-rich repeat domain can determine effective interaction between *RPS2* and other host factors in *Arabidopsis RPS2*-mediated disease resistance. *Genetics* **158**, 439-450.
- Belkhadir, Y., Subramaniam, R. & Dangl, J. L. (2004).** Plant disease resistance protein signaling: NBS-LRR proteins and their partners. *Current Opinion in Plant Biology* **7**, 391-399.
- Benedito, V. A., Visser, P. B., Angenent, G. C. & Krens, F. A. (2004).** The potential of virus-induced gene silencing for speeding up functional characterization of plant genes. *Genetics and Molecular Research* **3**, 323-341.
- Bent, A. F. & Mackey, D. (2007).** Elicitors, effectors, and *R* genes: the new paradigm and a lifetime supply of questions. *Annual Review of Phytopathology* **45**, 399-436.
- van der Biezen, E. A. & Jones, J. D. (1998).** Plant disease-resistance proteins and the gene-for-gene concept. *Trends in Biochemical Sciences* **23**, 454-456.
- van der Biezen, E. A., Brandwagt, B. F., van Leeuwen, W., Nijkamp, H. J. & Hille, J. (1996).** Identification and isolation of the *FEEBLY* gene from tomato by transposon tagging. *Molecular & General Genetics* **251**, 267-280.

- Bittner-Eddy, P. D., Crute, I. R., Holub, E. B. & Beynon, J. L. (2000).** *RPP13* is a simple locus in *Arabidopsis thaliana* for alleles that specify downy mildew resistance to different avirulence determinants in *Peronospora parasitica*. *Plant journal* **21**, 177-188.
- Bohs, L. (2007).** Phylogeny of the *cyphomandra* clade of the genus *Solanum* (Solanaceae) based on *ndhF* sequences. *Taxon* **56**, 1012-1026.
- Bortiri, E., Jackson, D. & Hake, S. (2006).** Advances in maize genomics: the emergence of positional cloning. *Current Opinion in Plant Biology* **9**, 164-171.
- Brandwagt, B. F., Mesbah, L. A., Takken, F. L., Laurent, P. L., Kneppers, T. J., Hille, J. & Nijkamp, H. J. (2000).** A longevity assurance gene homolog of tomato mediates resistance to *Alternaria alternata* f. sp. *lycopersici* toxins and fumonisin B1. *Proceedings of the National Academy of Sciences of the United States of America* **97**, 4961-4966.
- Brommonschenkel, S. H., Frary, A. & Tanksley, S. D. (2000).** The broad-spectrum tospovirus resistance gene *Sw-5* of tomato is a homolog of the root-knot nematode resistance gene *Mi*. *Molecular Plant-Microbe Interactions* **13**, 1130-1138.
- Bryan, G. T., Wu, K. S., Farrall, L., Jia, Y., Hershey, H. P., McAdams, S. A., Faulk, K. N., Donaldson, G. K., Tarchini, R. & Valent, B. (2000).** A single amino acid difference distinguishes resistant and susceptible alleles of the rice blast resistance gene *Pi-ta*. *Plant Cell* **12**, 2033-2045.
- Calder, V. L. & Palukaitis, P. (1992).** Nucleotide sequence analysis of the movement genes of resistance breaking strains of tomato mosaic virus. *Journal of General Virology* **73**, 165-168.
- Candela, H. & Hake, S. (2008).** The art and design of genetic screens: maize. *Nature Reviews Genetics* **9**, 192-203.
- Chakrabarti, A., Panter, S. N., Harrison, K., Jones, J. D. G. & Jones, D. A. (2009).** Regions of the Cf-9B disease resistance protein able to cause spontaneous necrosis in *Nicotiana benthamiana* lie within the region controlling pathogen recognition in tomato. *Molecular Plant-Microbe Interactions* **22**, 1214-1226.
- Chisholm, S. T., Mahajan, S. K., Whitham, S. A., Yamamoto, M. L. & Carrington, J. C. (2000).** Cloning of the *Arabidopsis* *RTM1* gene, which controls restriction of long-distance movement of tobacco etch virus.

- Proceedings of the National Academy of Sciences of the United States of America* **97**, 489-494.
- Clough, S. J. (2005).** Floral dip: *Agrobacterium*-mediated germ line transformation. *Methods in Molecular Biology* **286**, 91-102.
- Cooley, M. B., Pathirana, S., Wu, H. J., Kachroo, P. & Klessig, D. F. (2000).** Members of the *Arabidopsis* HRT/RPP8 family of resistance genes confer resistance to both viral and oomycete pathogens. *Plant Cell* **12**, 663-676.
- Creager, A. N., Scholthof, K. B., Citovsky, V. & Scholthof, H. B. (1999).** Tobacco Mosaic Virus: Pioneering research for a century. *Plant Cell* **11**, 301-308.
- Davis, A. M., Hall, A., Millar, A. J., Darrah, C. & Davis, S. J. (2009).** Protocol: Streamlined sub-protocols for floral-dip transformation and selection of transformants in *Arabidopsis thaliana*. *Plant Methods* **5**, 3.
- Dixon, M. S., Jones, D. A., Keddie, J. S., Thomas, C. M., Harrison, K. & Jones, J. D. (1996).** The tomato *Cf-2* disease resistance locus comprises two functional genes encoding leucine-rich repeat proteins. *Cell* **84**, 451-459.
- Dixon, M. S., Hatzixanthis, K., Jones, D. A., Harrison, K. & Jones, J. D. (1998).** The tomato *Cf-5* disease resistance gene and six homologs show pronounced allelic variation in leucine-rich repeat copy number. *Plant Cell* **10**, 1915-1925.
- Dodds, P. N., Lawrence, G. J., Catanzariti, A.-M., Teh, T., Wang, C.-I. A., Ayliffe, M. A., Kobe, B. & Ellis, J. G. (2006).** Direct protein interaction underlies gene-for-gene specificity and co-evolution of the flax resistance genes and flax rust avirulence genes. *Proceedings of the National Academy of Sciences of the United States of America* **103**, 8888-8893.
- Ellis, J. G., Lawrence, G. J., Luck, J. E. & Dodds, P. N. (1999).** Identification of regions in alleles of the flax rust resistance gene *L* that determine differences in gene-for-gene specificity. *Plant Cell* **11**, 495-506.
- Ellis, J., Dodds, P. & Pryor, T. (2000).** The generation of plant disease resistance gene specificities. *Trends in Plant Science* **5**, 373-379.
- Ellis, J. G., Lawrence, G. J. & Dodds, P. N. (2007).** Further analysis of gene-for-gene disease resistance specificity in flax. *Molecular Plant Pathology* **8**, 103-109.

- Ernst, K., Kumar, A., Kriseleit, D., Kloos, D.-U., Phillips, M. S. & Ganai, M. W. (2002).** The broad-spectrum potato cyst nematode resistance gene (*Hero*) from tomato is the only member of a large gene family of NBS-LRR genes with an unusual amino acid repeat in the LRR region. *Plant Journal* **31**, 127-136.
- Farnham, G. & Baulcombe, D. C. (2006).** Artificial evolution extends the spectrum of viruses that are targeted by a disease-resistance gene from potato. *Proceedings of the National Academy of Sciences of the United States of America* **103**, 18828-18833.
- Fedoroff, N. V., Furtak, D. B. & Nelson, O. E. (1984).** Cloning of the bronze locus in maize by a simple and generalizable procedure using the transposable controlling element Activator (Ac). *Proceedings of the National Academy of Sciences of the United States of America* **81**, 3825-3829.
- Ferrier-Cana, E., Macadré, C., Sévignac, M., David, P., Langin, T. & Geffroy, V. (2005).** Distinct post-transcriptional modifications result into seven alternative transcripts of the CC-NBS-LRR gene *JA1tr* of *Phaseolus vulgaris*. *Theoretical and Applied Genetics* **110**, 895-905.
- Flor, H. H. (1971).** Current status of the gene for gene concept. *Annual Review Phytopathology* **9**, 275-296.
- Fradin, E. F., Abd-El-Halim, A., Masini, L., van den Berg, G. C. M., Joosten, M. H. A. J. & Thomma, B. P. H. J. (2011).** Interfamily transfer of tomato *Ve1* mediates verticillium resistance in *Arabidopsis*. *Plant Physiology* **156**, 2255-2265.
- De la Fuente van Bentem, S., Vossen, J. H., de Vries, K. J., van Wees, S., Tameling, W. I. L., Dekker, H. L., de Koster, C. G., Haring, M. A., Takken, F. L. W. & Cornelissen, B. J. C. (2005).** Heat shock protein 90 and its co-chaperone protein phosphatase 5 interact with distinct regions of the tomato I-2 disease resistance protein. *Plant Journal* **43**, 284-298.
- Fulton, T. M., Chunzoongse, J., Tanksley, S. D., Breeding, P. & Hall, E. (1995).** Microprep protocol for extraction of DNA from tomato and other herbaceous plants. *Plant Molecular Biology* **13**, 207-209.
- Gabriëls, S. H. E. J., Takken, F. L. W., Vossen, J. H., de Jong, C. F., Liu, Q., Turk, S. C. H. J., Wachowski, L. K., Peters, J., Witsenboer, H. M. A., & other authors. (2006).** cDNA-AFLP combined with functional analysis reveals novel genes involved in the hypersensitive response. *Molecular Plant-Microbe Interactions* **19**, 567-576.

- Gidoni, D., Fuss, E., Burbidge, A., Speckmann, G.-j, James, S., Nijkamp, D., Mett, A., Feiler, J., Smoker, M., & other authors. (2003).** Multi-functional T-DNA / Ds tomato lines designed for gene cloning and molecular and physical dissection of the tomato genome. *Plant Molecular Biology* **51**, 83-98.
- Glazebrook, J. (2001).** Genes controlling expression of defense responses in *Arabidopsis*--2001 status. *Current Opinion in Plant Biology* **4**, 301-308.
- Hall, T. A. (1999).** BioEdit: a user-friendly biological sequence alignment editor and analysis program for Windows 95/98/NT. *Nucleic Acids Symposium Series* **41**, 95-98.
- Hall, T. J. (1980).** Resistance at the *Tm-2* locus in the tomato to tomato mosaic virus. *Euphytica* **29**, 189-197.
- Hammond-Kosack, K. E. & Jones, J. D. G. (1997).** Plant disease resistance genes. *Annual Review of Plant Physiology and Plant Molecular Biology* **48**, 575-607.
- van der Hoorn, R. A., Roth, R. & De Wit, P. J. (2001).** Identification of distinct specificity determinants in resistance protein Cf-4 allows construction of a Cf-9 mutant that confers recognition of avirulence protein Avr4. *Plant Cell* **13**, 273-285.
- van der Hoorn, R. A. L., De Wit, P. J. G. M. & Joosten, M. H. A. J. (2002).** Balancing selection favors guarding resistance proteins. *Trends in Plant Science* **7**, 67-71.
- Horsch, R. B., Fry, J. E., Hoffmann, N. L., Eichholtz, D., Rogers, S. G. & Fraley, R. T. (1985).** A simple and general method for hybridization revealed the expected. *Science* **227**, 1229-1231.
- Huang, S., van der Vossen, E. A. G., Kuang, H., Vleeshouwers, V. G. A. A., Zhang, N., Borm, T. J. A., van Eck, H. J., Baker, B., Jacobsen, E. & Visser, R. G. F. (2005).** Comparative genomics enabled the isolation of the *R3a* late blight resistance gene in potato. *Plant Journal* **42**, 251-261.
- Ishibashi, K., Masuda, K., Naito, S., Meshi, T. & Ishikawa, M. (2007).** An inhibitor of viral RNA replication is encoded by a plant resistance gene. *Proceedings of the National Academy of Sciences of the United States of America* **104**, 13833-13838.
- Jander, G., Norris, S. R., Rounsley, S. D., Bush, D. F., Levin, I. M. & Last, R. L. (2002).** *Arabidopsis* map-based cloning in the post-genome era. *Plant Physiology* **129**, 440-450.

- Jia, Y., McAdams, S. A., Bryan, G. T., Hershey, H. P. & Valent, B. (2000).** Direct interaction of resistance gene and avirulence gene products confers rice blast resistance. *EMBO Journal* **19**, 4004-4014.
- Johal, G. S. & Briggs, S. P. (1992).** Reductase activity encoded by the *HM1* disease resistance gene in maize. *Science* **258**, 985-987.
- Jones, D. A. & Jones, J. D. G. (1997).** The role of leucine-rich repeat proteins in plant defences. *Advances in Plant Pathology* **24**, 90-167.
- Jones, D. A., Thomas, C. M., Hammond-Kosack, K. E., Balint-Kurti, P. J. & Jones, J. D. (1994).** Isolation of the tomato *Cf-9* gene for resistance to *Cladosporium fulvum* by transposon tagging. *Science* **266**, 789-793.
- Jones, J. D. G. & Dangl, J. L. (2006).** The plant immune system. *Nature* **444**, 323-329.
- Jones, R. N. (2005).** McClintock's controlling elements: the full story. *Cytogenetic and Genome Research* **109**, 90-103.
- Jung, H. W. & Hwang, B. kook. (2007).** The leucine-rich repeat (LRR) protein, CaLRR1, interacts with the hypersensitive induced reaction (HIR) protein, CaHIR1, and suppresses cell death induced by the CaHIR1 protein. *Molecular Plant Pathology* **8**, 503-514.
- Kawchuk, L. M., Hachey, J. & Lynch, D. R. (1998).** Development of sequence characterized DNA markers linked to a dominant verticillium wilt resistance gene in tomato. *Genome* **41**, 91-95.
- Knapp, S., Bohs, L., Nee, M. & Spooner, D. M. (2004).** Solanaceae: a model for linking genomics with biodiversity. *Comparative and Functional Genomics* **5**, 285-291.
- Kobayashi, M., Yamamoto-Katou, A., Katou, S., Hirai, K., Meshi, T., Ohashi, Y. & Mitsuhashi, I. (2011).** Identification of an amino acid residue required for differential recognition of a viral movement protein by the Tomato mosaic virus resistance gene *Tm-2²*. *Journal of Plant Physiology* **168**, 1142-1145.
- Kohler, A., Rinaldi, C., Duplessis, S., Baucher, M., Geelen, D., Duchaussoy, F., Meyers, B. C., Boerjan, W. & Martin, F. (2008).** Genome-wide identification of NBS resistance genes in *Populus trichocarpa*. *Plant Molecular Biology* **66**, 619-636.

- Krasileva, K. V., Dahlbeck, D. & Staskawicz, B. J. (2010).** Activation of an *Arabidopsis* resistance protein is specified by the *in planta* association of its leucine-rich repeat domain with the cognate oomycete effector. *Plant Cell* **22**, 2444-2458.
- Krishnaswamy, L., Zhang, J. & Peterson, T. (2008).** Reversed end Ds element: a novel tool for chromosome engineering in *Arabidopsis*. *Plant Molecular Biology* **68**, 399-411.
- Kruijt, M., De Kock, M. J. D. & De Wit, P. J. G. M. (2005).** Receptor-like proteins involved in plant disease resistance. *Molecular Plant Pathology* **6**, 85-97.
- Lanfermeijer, F. C., Dijkhuis, J., Sturre, M. J. G., de Haan, P. & Hille, J. (2003).** Cloning and characterization of the durable tomato mosaic virus resistance gene *Tm-2²* from *Lycopersicon esculentum*. *Plant Molecular Biology* **52**, 1037-1049.
- Lanfermeijer, F. C., Jiang, G., Ferwerda, M. A., Dijkhuis, J., de Haan, P., Yang, R. & Hille, J. (2004).** The durable resistance gene *Tm-2²* from tomato confers resistance against ToMV in tobacco and preserves its viral specificity. *Plant Science* **167**, 687-692.
- Lanfermeijer, F. C., Warmink, J. & Hille, J. (2005).** The products of the broken *Tm-2* and the durable *Tm-2²* resistance genes from tomato differ in four amino acids. *Journal of Experimental Botany* **56**, 2925-2933.
- Lanfermeijer, F. C., Rasul, I. & Hille, J. (2010).** Isolation and application of natural plant resistance genes. In *Principles and practice of advanced technology in plant virology*, pp. 269-295. Edited by A. Wang. Trivandrum, India: Research Signpost Press.
- Leipe, D. D., Koonin, E. V. & Aravind, L. (2004).** STAND, a class of P-loop NTPases including animal and plant regulators of programmed cell death: multiple, complex domain architectures, unusual phyletic patterns, and evolution by horizontal gene transfer. *Journal of Molecular Biology* **343**, 1-28.
- Liu, Y., Schiff, M., Marathe, R. & Dinesh-Kumar, S. P. (2002).** Tobacco *Rar1*, *EDS1* and *NPR1/NIM1* like genes are required for *N*-mediated resistance to tobacco mosaic virus. *Plant Journal* **30**, 415-429.
- Long, D., Martin, M., Sundberg, E., Swinburne, J., Puangsomlee, P. & Coupland, G. (1993).** The maize transposable element system Ac/Ds as a mutagen in *Arabidopsis*: identification of an albino mutation induced by Ds

- insertion. *Proceedings of the National Academy of Sciences of the United States of America* **90**, 10370-10374.
- Luck, J. E., Lawrence, G. J., Finnegan, E. J., Jones, D. A. & Ellis, J. G. (1998).** A flax transposon identified in two spontaneous mutant alleles of the *L6* rust resistance gene. *Plant Journal* **16**, 365-369.
- Lukasik, E. & Takken, F. L. W. (2009).** STANDING strong, resistance proteins instigators of plant defence. *Current Opinion in Plant Biology* **12**, 427-436.
- Martin, G. B., Brommonschenkel, S. H., Chunwongse, J., Frary, A., Ganal, M. W., Spivey, R., Wu, T., Earle, E. D. & Tanksley, S. D. (1993).** Map-based cloning of a protein kinase gene conferring disease resistance in tomato. *Science* **262**, 1432-1436.
- Martin, G. B., Bogdanove, A. J. & Sessa, G. (2003).** Understanding the functions of plant disease resistance proteins. *Annual Review of Plant Biology* **54**, 23-61.
- McDowell, J. M., Dhandaydham, M., Long, T. A., Aarts, M. G., Goff, S., Holub, E. B. & Dangl, J. L. (1998).** Intragenic recombination and diversifying selection contribute to the evolution of downy mildew resistance at the *RPP8* locus of *Arabidopsis*. *Plant Cell* **10**, 1861-1874.
- McHale, L., Tan, X., Koehl, P. & Michelmore, R. W. (2006).** Plant NBS-LRR proteins: adaptable guards. *Genome Biology* **7**, 212.
- Meshi, T., Motoyoshi, F., Adachi, A., Watanabe, Y., Takamatsu, N. & Okada, Y. (1988).** Two concomitant base substitutions in the putative replicase genes of tobacco mosaic virus confer the ability to overcome the effects of a tomato resistance gene, *Tm-1*. *EMBO Journal* **7**, 1575-1581.
- Mestre, P. & Baulcombe, D. C. (2006).** Elicitor-mediated oligomerization of the tobacco N disease resistance protein. *Plant Cell* **18**, 491-501.
- Meyers, B. C., Kozik, A., Griego, A., Kuang, H. & Michelmore, R. W. (2003).** Genome-Wide analysis of NBS-LRR-encoding genes in *Arabidopsis*. *Plant Cell* **15**, 809-834.
- Milligan, S. B., Bodeau, J., Yaghoobi, J., Kaloshian, I., Zabel, P. & Williamson, V. M. (1998).** The root knot nematode resistance gene *Mi* from tomato is a member of the leucine zipper, nucleotide binding, leucine-rich repeat family of plant genes. *Plant Cell* **10**, 1307-1319.

- Mlotshwa, S., Pruss, G. J. & Vance, V. (2008).** Small RNAs in viral infection and host defense. *Trends in Plant Science* **13**, 375-382.
- Moffett, P., Farnham, G., Peart, J. & Baulcombe, D. C. (2002).** Interaction between domains of a plant NBS-LRR protein in disease resistance-related cell death. *EMBO Journal* **21**, 4511-4519.
- Moose, S. P. & Mumm, R. H. (2008).** Molecular plant breeding as the foundation for 21st century crop improvement. *Plant Physiology* **147**, 969-977.
- Morillo, S. A. & Tax, F. E. (2006).** Functional analysis of receptor-like kinases in monocots and dicots. *Current Opinion in Plant Biology* **9**, 460-469.
- Nesbitt, T. C. & Tanksley, S. D. (2002).** Comparative sequencing in the genus *Lycopersicon*. Implications for the evolution of fruit size in the domestication of cultivated tomatoes. *Genetics* **162**, 365-379.
- Nishimura, M. T. & Dangl, J. L. (2010).** *Arabidopsis* and the plant immune system. *Plant Journal* **61**, 1053-1066.
- Nurnberger, T. & Scheel, D. (2001).** Signal transmission in the plant immune response. *Trends in Plant Sciences* **6**, 372-379.
- Nürnberg, T. & Kemmerling, B. (2006).** Receptor protein kinases--pattern recognition receptors in plant immunity. *Trends in Plant Sciences* **11**, 519-522.
- van Ooijen, G., van den Burg, H. A., Cornelissen, B. J. C. & Takken, F. L. W. (2007).** Structure and function of resistance proteins in Solanaceae plants. *Annual Review of Phytopathology* **45**, 43-72.
- van Ooijen, G., Mayr, G., Kasiem, M. M. A., Albrecht, M., Cornelissen, B. J. C. & Takken, F. L. W. (2008).** Structure-function analysis of the NB-ARC domain of plant disease resistance proteins. *Journal of Experimental Botany* **59**, 1383-1397.
- Ori, N., Eshed, Y., Paran, I., Presting, G., Aviv, D., Tanksley, S., Zamir, D. & Fluhr, R. (1997).** The *I2C* family from the wilt disease resistance locus *I2* belongs to the nucleotide binding, leucine-rich repeat superfamily of plant resistance genes. *Plant Cell* **9**, 521-532.
- Osborne, B. I. & Baker, B. (1995).** Movers and shakers: maize transposons as tools for analyzing other plant genomes. *Current Opinion in Cell Biology* **7**, 406-413.

- Page, R. D. M. (1996).** TreeView: An application to display phylogenetic trees on personal computers. *Computer Applications in the Biosciences* : **12**, 357-358.
- Pear, J. R., Mestre, P., Lu, R., Malcuit, I. & Baulcombe, D. C. (2005).** NRG1, a CC-NB-LRR protein, together with N, a TIR-NB-LRR protein, mediates resistance against tobacco mosaic virus. *Current Biology* **15**, 968-973.
- Pedley, K. F. & Martin, G. B. (2003).** Molecular basis of *Pto*-mediated resistance to bacterial speck disease in tomato. *Annual Review of Phytopathology* **41**, 215-243.
- Pelham, J. (1966).** Resistance in tomato to tobacco mosaic virus. *Euphytica* **15**, 258-267.
- Peralta, I. E. & Spooner, D. M. (2001).** Granule-bound starch synthase (GBSSI) gene phylogeny of wild tomatoes (*Solanum* L. section Lycopersicon [Mill.] Westst. subsection Lycopersicon). *American Journal of Botany* **88**, 1888-1902.
- Peralta, I. E., Knapp, S. & Spooner, D. M. (2005).** New species of wild tomatoes (*Solanum* section Lycopersicon : Solanaceae) from northern Peru. *Systematic Botany* **30**, 424-434.
- Pereda, S., Ehrenfeld, N., Medina, C., Delgado, J. & Arce-Johnson, P. (2000).** Comparative analysis of TMV-Cg and TMV-U1 detection methods in infected *Arabidopsis thaliana*. *Journal of Virological Methods* **90**, 135-142.
- Peters, J. L., Cnudde, F. & Gerats, T. (2003).** Forward genetics and map-based cloning approaches. *Trends in Plant Science* **8**, 484-491.
- Pfützner, A. J. P. (2006).** Resistance to tobacco mosaic virus and tomato mosaic virus in tomato. In *Natural resistance mechanisms of plants to viruses*, pp. 399-413. Edited by G. Loebenstein & J. P. Carr. The Netherlands: Springer.
- Posada, D. & Crandall, K. A. (1998).** MODELTEST : testing the model of DNA substitution. *Bioinformatics* **14**, 817-818.
- Rairdan, G. & Moffett, P. (2007).** Brothers in arms? Common and contrasting themes in pathogen perception by plant NB-LRR and animal NACHT-LRR proteins. *Microbes and Infection* **9**, 677-686.
- Rairdan, G. J. & Moffett, P. (2006).** Distinct domains in the ARC region of the potato resistance protein Rx mediate LRR binding and inhibition of activation. *Plant Cell* **18**, 2082-2093.

- Rairdan, G. J., Collier, S. M., Sacco, M. A., Baldwin, T. T., Boettrich, T. & Moffett, P. (2008).** The coiled-coil and nucleotide binding domains of the Potato Rx disease resistance protein function in pathogen recognition and signaling. *Plant Cell* **20**, 739-751.
- Rathjen, J. P. & Moffett, P. (2003).** Early signal transduction events in specific plant disease resistance. *Current Opinion in Plant Biology* **6**, 300-306.
- Ratnaparkhe, M. B., Wang, X., Li, J., Compton, R. O., Rainville, L. K., Lemke, C., Kim, C., Tang, H. & Paterson, A. H. (2011).** Comparative analysis of peanut NBS-LRR gene clusters suggests evolutionary innovation among duplicated domains and erosion of gene microsynteny. *New Phytologist* **192**, 164-178.
- Richly, E., Kurth, J. & Leister, D. (2002).** Mode of amplification and reorganization of resistance genes during recent *Arabidopsis thaliana* evolution. *Molecular Biology and Evolution* **19**, 76-84.
- Rommens, C. M., Salmeron, J. M., Oldroyd, G. E. & Staskawicz, B. J. (1995).** Intergeneric transfer and functional expression of the tomato disease resistance gene *Pto*. *Plant Cell* **7**, 1537-1544.
- Ronquist, F. & Huelsenbeck, J. P. (2003).** MrBayes 3: Bayesian phylogenetic inference under mixed models. *Bioinformatics* **19**, 1572-1574.
- Salmeron, J. M., Oldroyd, G. E. D., Rommens, C. M. T., Scofield, S. R., Kim, H.-S., Lavelle, D. T., Dahlbeck, D. & Staskawicz, B. J. (1996).** Tomato *Prf* is a member of the leucine-rich repeat class of plant disease resistance genes and lies embedded within the *Pto* kinase gene cluster. *Cell* **86**, 123-133.
- Sambrook, J., Fritsch, E. F. & Maniatis, T. (1989).** *Molecular Cloning: A Laboratory manual*. New York: Cold Spring Harbor Laboratory Press.
- Schornack, S., Ballvora, A., Gu, D., Bonas, U. & Lahaye, T. (2004).** The tomato resistance protein Bs4 is a predicted non-nuclear TIR-NB-LRR protein that mediates defense responses to severely truncated derivatives of AvrBs4 and overexpressed. *Plant Journal* **37**, 46-60.
- Schwessinger, B. & Zipfel, C. (2008).** News from the frontline: recent insights into PAMP-triggered immunity in plants. *Current Opinion in Plant Biology* **11**, 389-395.
- Seah, S., Telleen, A. C. & Williamson, V. M. (2007).** Introgressed and endogenous *Mi-1* gene clusters in tomato differ by complex rearrangements in flanking

- sequences and show sequence exchange and diversifying selection among homologues. *Theoretical and Applied Genetics* **114**, 1289-1302.
- Serrano, C., González-Cruz, J., Jauregui, F., Medina, C., Mancilla, P., Matus, J. T. & Arce-Johnson, P. (2008).** Genetic and histological studies on the delayed systemic movement of Tobacco Mosaic Virus in *Arabidopsis thaliana*. *BMC Genetics* **9**, 59.
- Shirzadian-Khorramabad, R. (2008).** *Molecular genetic regulation of developmental leaf longevity*. University of Groningen, The Netherlands.
- Simons, G., Groenendijk, J., Wijbrandi, J., Reijans, M., Groenen, J., Diergaarde, P., Van der Lee, T., Bleeker, M., Onstenk, J., & other authors. (1998).** Dissection of the fusarium *I2* gene cluster in tomato reveals six homologs and one active gene copy. *Plant Cell* **10**, 1055-1068.
- Smith, J. A., Blanchette, R. A., Burnes, T. A., Jacobs, J. J., Higgins, L., Witthuhn, B. A., David, A. J. & Gillman, J. H. (2006).** Proteomic comparison of needles from blister rust-resistant and susceptible *Pinus strobus* seedlings reveals upregulation of putative disease resistance proteins. *Molecular Plant-Microbe Interactions* **19**, 150-160.
- Song, W. Y., Wang, G. L., Chen, L. L., Kim, H. S., Pi, L. Y., Holsten, T., Gardner, J., Wang, B., Zhai, W. X., & other authors. (1995).** A receptor kinase-like protein encoded by the rice disease resistance gene, *Xa21*. *Science* **270**, 1804-1806.
- Soosaar, J. L. M., Burch-Smith, T. M. & Dinesh-Kumar, S. P. (2005).** Mechanisms of plant resistance to viruses. *Nature Reviews Microbiology* **3**, 789-798.
- Spassova, M. I., Prins, T. W., Folkertsma, R. T., Klein-Lankhorst, R. M., Hille, J., Goldbach, R. W. & Prins, M. (2001).** The tomato gene *Sw5* is a member of the coiled coil, nucleotide binding, leucine-rich repeat class of plant resistance genes and confers resistance to TSWV in tobacco. *Molecular Breeding* **7**, 151-161.
- Stange, C., Matus, J. T., Domínguez, C., Perez-Acle, T. & Arce-Johnson, P. (2008).** The N-homologue LRR domain adopts a folding which explains the TMV-Cg-induced HR-like response in sensitive tobacco plants. *Journal of Molecular Graphics & Modelling* **26**, 850-860.
- Sturre, M. J. G., Shirzadian-Khorramabad, R., Schippers, J. H. M., Chin-A-Woeng, T. F. C., Hille, J. & Dijkwel, P. P. (2008).** Method for the

- identification of single mutations in large genomic regions using massive parallel sequencing. *Molecular Breeding* **23**, 51-59.
- Swofford, D. L. (2003).** PAUP*. Phylogenetic Analysis Using Parsimony (*and other methods). Sunderland, MA: Sinauer Associates.
- Tai, T. H., Dahlbeck, D., Clark, E. T., Gajiwala, P., Pasion, R., Whalen, M. C., Stall, R. E. & Staskawicz, B. J. (1999).** Expression of the *Bs2* pepper gene confers resistance to bacterial spot disease in tomato. *Proceedings of the National Academy of Sciences of the United States of America* **96**, 14153-14158.
- Takahashi, A., Hayashi, N., Miyao, A. & Hirochika, H. (2010).** Unique features of the rice blast resistance *Pish* locus revealed by large scale retrotransposon-tagging. *BMC Plant Biology* **10**, 175.
- Takken, F. L., Schipper, D., Nijkamp, H. J. & Hille, J. (1998).** Identification and Ds-tagged isolation of a new gene at the *Cf-4* locus of tomato involved in disease resistance to *Cladosporium fulvum* race 5. *Plant Journal* **14**, 401-411.
- Takken, F. L. W., Albrecht, M. & Tameling, W. I. L. (2006).** Resistance proteins: molecular switches of plant defence. *Current Opinion in Plant Biology* **9**, 383-390.
- Tameling, W. I. L. & Takken, F. L. W. (2008).** Resistance proteins: scouts of the plant innate immune system. In *Sustainable disease management in a European context*, pp. 243-255. Edited by D. B. Collinge, L. Munk & B. M. Cooke. The Netherlands: Springer.
- Tameling, W. I. L., Elzinga, S. D. J., Darmin, P. S., Vossen, J. H., Takken, F. L. W., Haring, M. A. & Cornelissen, B. J. C. (2002).** The tomato R gene products I-2 and Mi-1 are functional ATP binding proteins with ATPase activity. *Plant Cell* **14**, 2929-2939.
- Tameling, W. I. L., Vossen, J. H., Albrecht, M., Lengauer, T., Berden, J. A., Haring, M. A., Cornelissen, B. J. C., Takken, F. L. W. & Zhu, H. (2006).** Mutations in the NB-ARC domain of I-2 that impair ATP hydrolysis cause autoactivation. *Plant Physiology* **140**, 1233-1245.
- Thilmony, R. L., Chen, Z., Bressan, R. A. & Martin, G. B. (1995).** Expression of the tomato *Pto* gene in tobacco enhances resistance to *Pseudomonas syringae* pv *tabaci* expressing *AvrPto*. *Plant Cell* **7**, 1529-1536.

- Thomas, C. M., Jones, D. A., Parniske, M., Harrison, K., Balint-Kurti, P. J., Hatzixanthis, K. & Jones, J. D. (1997).** Characterization of the tomato *Cf-4* gene for resistance to *Cladosporium fulvum* identifies sequences that determine recognitional specificity in *Cf-4* and *Cf-9*. *Plant Cell* **9**, 2209-2224.
- Topping, J. F., Wei, W., C, C. M., Muskett, P. & Lindsey, K. (1995).** *Agrobacterium*-mediated transformation of *Arabidopsis thaliana*. Application in T-DNA tagging. *Methods in Molecular Biology* **49**, 63-76.
- Ueda, H., Yamaguchi, Y. & Sano, H. (2006).** Direct interaction between the tobacco mosaic virus helicase domain and the ATP-bound resistance protein, N factor during the hypersensitive response in tobacco plants. *Plant Molecular Biology* **61**, 31-45.
- Voinnet, O. (2008).** Post-transcriptional RNA silencing in plant-microbe interactions: a touch of robustness and versatility. *Current Opinion in Plant Biology* **11**, 464-470.
- Vos, P., Simons, G., Jesse, T., Wijbrandi, J., Heinen, L., Hogers, R., Frijters, A., Groenendijk, J., Diergaarde, P., & other authors. (1998).** The tomato *Mi-1* gene confers resistance to both root-knot nematodes and potato aphids. *Nature Biotechnology* **16**, 1365-1369.
- Walbot, V. (2000).** Saturation mutagenesis using maize transposons. *Current Opinion in Plant Biology* **3**, 103-107.
- Wan, J., Dunning, F. M. & Bent, A. F. (2002).** Probing plant-pathogen interactions and downstream defense signaling using DNA microarrays. *Functional & Integrative Genomics* **2**, 259-273.
- Wang, M., Allefs, S., van den Berg, R. G., Vleeshouwers, V. G. A. A., van der Vossen, E. A. G. & Vosman, B. (2008).** Allele mining in *Solanum*: conserved homologues of *Rpi-blb1* are identified in *Solanum stoloniferum*. *Theoretical and Applied Genetics* **116**, 933-943.
- Weber, H. & Pfitzner, A. J. (1998).** *Tm-2²* resistance in tomato requires recognition of the carboxy terminus of the movement protein of tomato mosaic virus. *Molecular Plant-Microbe Interactions* **11**, 498-503.
- Weber, H., Schultze, S. & Pfitzner, A. J. (1993).** Two amino acid substitutions in the tomato mosaic virus 30-kilodalton movement protein confer the ability to overcome the *Tm-2²* resistance gene in the tomato. *Journal of Virology* **67**, 6432-6438.

- Whitham, S., Dinesh-Kumar, S. P., Choi, D., Hehl, R., Corr, C. & Baker, B. (1994). The product of the tobacco mosaic virus resistance gene *N*: similarity to toll and the interleukin-1 receptor. *Cell* **78**, 1101-1115.
- Whitham, S. A., Anderberg, R. J., Chisholm, S. T. & Carrington, J. C. (2000). *Arabidopsis* *RTM2* gene is necessary for specific restriction of tobacco etch virus and encodes an unusual small heat shock-like protein. *Plant Cell* **12**, 569-582.
- Whitham, S. A., McCormick, S. & Baker, B. (1996). The *N* gene of tobacco confers resistance to tobacco mosaic virus in transgenic tomato. *Proceedings of the National Academy of Sciences of the United States of America* **93**, 8776-8781.
- Win, J., Morgan, W., Bos, J., Krasileva, K. V., Cano, L. M., Chaparro-Garcia, A., Ammar, R., Staskawicz, B. J. & Kamoun, S. (2007). Adaptive evolution has targeted the C-terminal domain of the *RXLR* effectors of plant pathogenic oomycetes. *Plant Cell* **19**, 2349-2369.
- Wirthmueller, L., Zhang, Y., Jones, J. D. G. & Parker, J. E. (2007). Nuclear accumulation of the *Arabidopsis* immune receptor *RPS4* is necessary for triggering *EDS1*-dependent defense. *Current Biology* **17**, 2023-2029.
- Wise, R. P., Moscou, M. J., Bogdanove, A. J. & Whitham, S. A. (2007). Transcript profiling in host-pathogen interactions. *Annual Review of Phytopathology* **45**, 329-369.
- Witcombe, J. R., Hollington, P. A., Howarth, C. J., Reader, S. & Steele, K. A. (2008). Breeding for abiotic stresses for sustainable agriculture. *Physiological Transactions of The Royal Society London, Series B, Biological Sciences* **363**, 703-716.
- Wulff, B. B., Thomas, C. M., Smoker, M., Grant, M. & Jones, J. D. (2001). Domain swapping and gene shuffling identify sequences required for induction of an Avr-dependent hypersensitive response by the tomato Cf-4 and Cf-9 proteins. *Plant Cell* **13**, 255-272.
- Xiao, S., Charoenwattana, P., Holcombe, L. & Turner, J. G. (2003). The *Arabidopsis* genes *RPW8.1* and *RPW8.2* confer induced resistance to powdery mildew diseases in tobacco. *Molecular Plant-Microbe Interactions* **16**, 289-294.

- Yang, X., Ma, H. & Makaroff, C. A. (2004).** Characterization of an unusual Ds transposable element in *Arabidopsis thaliana*: insertion of an abortive circular transposition intermediate. *Plant Molecular Biology* **55**, 905-917.
- Zhang, L., Fetch, T., Nirmala, J., Schmierer, D., Brueggeman, R., Steffenson, B. & Kleinhofs, A. (2006).** *Rpr1*, a gene required for *Rpg1*-dependent resistance to stem rust in barley. *Theoretical and Applied Genetics* **113**, 847-855.
- Zhao, J., Fu, J., Li, X., Xu, C. & Wang, S. (2009).** Dissection of the factors affecting development-controlled and race-specific disease resistance conferred by leucine-rich repeat receptor kinase-type *R* genes in rice. *Theoretical and Applied Genetics* **119**, 231-239.
- Zipfel, C. (2008).** Pattern-recognition receptors in plant innate immunity. *Current Opinion in Immunology* **20**, 10-16.
- Zuriaga, E., Blanca, J. & Nuez, F. (2009).** Classification and phylogenetic relationships in *Solanum* section *Lycopersicon* based on AFLP and two nuclear gene sequences. *Genetic Resources and Crop Evolution* **56**, 663-678.